



断面配置(案)

緯形桁配置K7112

1. 上から支間長, 檼桁間隔をとる。
2. 檼桁は1から決定した中心線上に法線。
3. 表示高エは▽印位置と示す。



緯形計算



CROSS NAME *** P-A *** T=278 39 31.77

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	0.0	0.0	0.0	3.8200 +	39.3165 +	4.0995	11.2500	0.0	90 00 00.00 -	0+00.4500
L 2	0.0	0.0	0.1500	3.6700 +	39.2939 +	4.2478	10.0000	0.0	90 00 00.00 -	0+00.4500
GLL	0.0	0.0	0.6550	3.0150 +	39.1953 +	4.8953	10.2307	0.0	90 00 00.00 -	0+00.4500
G 1L	0.0	0.0	0.2750	2.7400 +	39.1539 +	5.1672	10.2500	0.0	90 00 00.00 -	0+00.4500
GLR	0.0	0.0	0.2750	2.4650 +	39.1125 +	5.4391	10.2692	0.0	90 00 00.00 -	0+00.4500
<G1>	0.0	0.0	0.5750	1.8900 +	39.0260 +	6.0075	10.0000	0.0	90 00 00.00 -	0+00.4500
GRL	0.0	0.0	0.5750	1.3150 +	38.9394 +	6.5760	10.3497	0.0	90 00 00.00 -	0+00.4500
G 1R	0.0	0.0	0.2750	1.0400 +	38.8980 +	6.8478	10.3690	0.0	90 00 00.00 -	0+00.4500
GRR	0.0	0.0	0.2750	0.7650 +	38.8566 +	7.1197	10.3882	0.0	90 00 00.00 -	0+00.4500
L 3	0.0	0.0	0.5900	0.1750 +	38.7678 +	7.7030	10.0000	0.0	90 00 00.00 -	0+00.4500
C-L	0.0	0.0	0.1750	0.0000 +	38.7414 +	7.8760	11.3200	0.0	90 00 00.00 -	0+00.4500
L 4	0.0	0.0	0.1750	0.1750 +	38.7151 +	8.0490	10.0000	0.0	90 00 00.00 -	0+00.4500
GLL	0.0	0.0	0.8600	1.0350 +	38.5856 +	8.8992	10.2307	0.0	90 00 00.00 -	0+00.4500
G 2L	0.0	0.0	0.2750	1.3100 +	38.5442 +	9.1710	10.2500	0.0	90 00 00.00 -	0+00.4500
GLR	0.0	0.0	0.2750	1.5850 +	38.5028 +	9.4429	10.2692	0.0	90 00 00.00 -	0+00.4500
<G-2>	0.0	0.0	0.5750	2.1600 +	38.4162 +	10.0113	10.0000	0.0	90 00 00.00 -	0+00.4500
GRL	0.0	0.0	0.5750	2.7350 +	38.3297 +	10.5798	10.3497	0.0	90 00 00.00 -	0+00.4500
G 2R	0.0	0.0	0.2750	3.0100 +	38.2883 +	10.8517	10.3690	0.0	90 00 00.00 -	0+00.4500
GRR	0.0	0.0	0.2750	3.2850 +	38.2469 +	11.1235	10.3882	0.0	90 00 00.00 -	0+00.4500
L 5	0.0	0.0	0.5900	3.8750 +	38.1580 +	11.7068	10.0000	0.0	90 00 00.00 -	0+00.4500
L 6	0.0	0.0	0.1500	4.0250 +	38.1355 +	11.8551	11.2500	0.0	90 00 00.00 -	0+00.4500

CROSS NAME *** GE-1 *** T=278 39 31.77

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	0.0500	0.0500	0.0	3.8200 +	39.3660 +	4.1070	11.2500	0.0	89 59 33.97	- 0+00.3995
L 2	0.0500	0.0500	0.1500	3.6700 +	39.3434 +	4.2553	10.0000	0.0	89 59 33.98	- 0+00.3995
GLL	0.0500	0.0500	0.6550	3.0150 +	39.2448 +	4.9029	10.2307	0.0	89 59 34.02	- 0+00.3996
G 1L	0.0500	0.0500	0.2750	2.7400 +	39.2034 +	5.1747	10.2500	0.0	89 59 34.04	- 0+00.3997
GLR	0.0500	0.0500	0.2750	2.4650 +	39.1620 +	5.4466	10.2692	0.0	89 59 34.06	- 0+00.3997
<G1>	0.0500	0.0500	0.5750	1.8900 +	39.0754 +	6.0150	10.0000	0.0	89 59 34.09	- 0+00.3998
GRL	0.0500	0.0500	0.5750	1.3150 +	38.9868 +	6.5835	10.3497	0.0	89 59 34.13	- 0+00.3998
G 1R	0.0500	0.0500	0.2750	1.0400 +	38.9474 +	6.8553	10.3690	0.0	89 59 34.15	- 0+00.3999
GRR	0.0500	0.0500	0.2750	0.7650 +	38.9060 +	7.1272	10.3882	0.0	89 59 34.17	- 0+00.3999
L 3	0.0500	0.0500	0.5900	0.1750 +	38.8172 +	7.7105	10.0000	0.0	89 59 34.21	- 0+00.4000
C-L	0.0500	0.0500	0.1750	0.0000 +	38.7909 +	7.8835	11.3200	0.0	89 59 34.22	- 0+00.4000
L 4	0.0500	0.0500	0.1750	0.1750 +	38.7645 +	8.0565	10.0000	0.0	89 59 34.23	- 0+00.4000
GLL	0.4504	0.5004	0.8600	1.0350 +	38.6350 +	8.9067	10.2307	0.0	89 59 34.28	- 0+00.4001
G 2L	0.0500	0.0500	0.2750	1.3100 +	38.5936 +	9.1786	10.2500	0.0	89 59 34.30	- 0+00.4002
GLR	0.4504	0.5004	0.2750	1.5850 +	38.5522 +	9.4504	10.2692	0.0	89 59 34.32	- 0+00.4002
<G-2>	0.0500	0.0500	0.5750	2.1600 +	38.4657 +	10.0189	10.0000	0.0	89 59 34.36	- 0+00.4003
GRL	0.4504	0.5004	0.5750	2.7350 +	38.3791 +	10.5873	10.3497	0.0	89 59 34.39	- 0+00.4003
G 2R	0.0500	0.0500	0.2750	3.0100 +	38.3377 +	10.8592	10.3690	0.0	89 59 34.41	- 0+00.4004
GRR	0.4504	0.5004	0.2750	3.2850 +	38.2963 +	11.1310	10.3882	0.0	89 59 34.43	- 0+00.4004
L 5	0.0500	0.0500	0.5900	3.8750 +	38.2075 +	11.7143	10.0000	0.0	89 59 34.46	- 0+00.4005
L 6	0.0500	0.0500	0.1500	4.0250 +	38.1849 +	11.8626	11.2500	0.0	89 59 34.47	- 0+00.4005

091

CROSS NAME *** S-1 *** T=278 35 39.72

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	0.3957	0.4457	0.0	3.8200	+ 39.7572	+ 4.1664	11.2500	0.0	90 00 00.00	- 0+00.0000
L 2	0.3959	0.4459	0.1500	3.6700	+ 39.7348	+ 4.3147	10.0000	0.0	90 00 00.00	- 0+00.0000
GLL	-0.0038	0.4966	0.6550	3.0150	+ 39.6369	+ 4.9623	10.2307	0.0	90 00 00.00	- 0+00.0000
G 1L	0.3969	0.4469	0.2750	2.7400	+ 39.5958	+ 5.2342	10.2500	0.0	90 00 00.00	- 0+00.0000
GLR	-0.0032	0.4972	0.2750	2.4650	+ 39.5547	+ 5.5061	10.2692	0.0	90 00 00.00	- 0+00.0000
<G1>	0.3979	0.4479	0.5750	1.8900	+ 39.4688	+ 6.0747	10.0000	0.0	90 00 00.00	0+00.0000
GRL	-0.0019	0.4985	0.5750	1.3150	+ 39.3828	+ 6.6432	10.3497	0.0	90 00 00.00	0+00.0000
G 1R	0.3988	0.4488	0.2750	1.0400	+ 39.3417	+ 6.9151	10.3690	0.0	90 00 00.00	0+00.0000
GRR	-0.0013	0.4991	0.2750	0.7650	+ 39.3007	+ 7.1871	10.3882	0.0	90 00 00.00	0+00.0000
L 3	0.3998	0.4498	0.5900	0.1750	+ 39.2125	+ 7.7704	10.0000	0.0	90 00 00.00	0+00.0000
C-L	0.4000	0.4500	0.1750	0.0000	+ 39.1863	+ 7.9435	11.3200	0.0	90 00 00.00	0+00.0000
L 4	0.4002	0.4502	0.1750	0.1750	+ 39.1602	+ 8.1165	10.0000	0.0	90 00 00.00	0+00.0000
GLL	0.4012	0.8978	0.8600	1.0350	+ 39.0317	+ 8.9668	10.2307	0.0	90 00 00.00	0+00.0000
G 2L	0.4015	0.4515	0.2750	1.3100	+ 38.9906	+ 9.2388	10.2500	0.0	90 00 00.00	0+00.0000
GLR	0.4018	0.8990	0.2750	1.5850	+ 38.9495	+ 9.5107	10.2692	0.0	90 00 00.00	0+00.0000
<G-2>	0.4024	0.4524	0.5750	2.1600	+ 38.8635	+ 10.0792	10.0000	0.0	90 00 00.00	0+00.0000
GRL	0.4031	0.9016	0.5750	2.7350	+ 38.7776	+ 10.6478	10.3497	0.0	90 00 00.00	0+00.0000
G 2R	0.4034	0.4534	0.2750	3.0100	+ 38.7365	+ 10.9197	10.3690	0.0	90 00 00.00	0+00.0000
GRR	0.4037	0.9028	0.2750	3.2850	+ 38.6954	+ 11.1916	10.3882	0.0	90 00 00.00	0+00.0000
L 5	0.4044	0.4544	0.5900	3.8750	+ 38.6073	+ 11.7750	10.0000	0.0	90 00 00.00	0+00.0000
L 6	0.4045	0.4545	0.1500	4.0250	+ 38.5848	+ 11.9233	11.2500	0.0	90 00 00.00	0+00.0000

CROSS NAME *** C-1 *** T=277 52 41.41

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	5.3980	0.0	3.8200 +	44.6583 +	4.8758	11.2500	0.0	90 00 00.00	0+05.0000
L 2	4.9541	5.4000	0.1500	3.6700 +	44.8378 +	5.0244	10.0000	0.0	90 00 00.00	0+05.0000
GLL	4.5573	5.4551	0.8550	3.0150 +	44.5480 +	5.6732	10.2307	0.0	90 00 00.00	0+05.0000
G 1L	4.9658	5.4127	0.2750	2.7400 +	44.5103 +	5.9456	10.2500	0.0	90 00 00.00	0+05.0000
GLR	4.5642	5.4632	0.2750	2.4650 +	44.4726 +	6.2180	10.2692	0.0	90 00 00.00	0+05.0000
<G1>	4.9764	5.4242	0.5750	1.8900 +	44.3938 +	6.7876	10.0000	0.0	90 00 00.00	0+05.0000
GRL	4.5786	5.4802	0.5750	1.3150 +	44.3150 +	7.3571	10.3497	0.0	90 00 00.00	0+05.0000
G 1R	4.9870	5.4358	0.2750	1.0400 +	44.2773 +	7.6296	10.3690	0.0	90 00 00.00	0+05.0000
GRR	4.5854	5.4883	0.2750	0.7650 +	44.2396 +	7.9020	10.3882	0.0	90 00 00.00	0+05.0000
L 3	4.9978	5.4476	0.5900	0.1750 +	44.1587 +	8.4864	10.0000	0.0	90 00 00.00	0+05.0000
C-L	5.0000	5.4500	0.1750	0.0000 +	44.1347 +	8.6597	11.3200	0.0	90 00 00.00	0+05.0000
L 4	5.0022	5.4524	0.1750	0.1750 +	44.1107 +	8.8331	10.0000	0.0	90 00 00.00	0+05.0000
GLL	5.0129	10.4680	0.8600	1.0350 +	43.9929 +	9.6850	10.2307	0.0	90 00 00.00	0+05.0000
G 2L	5.0164	5.4678	0.2750	1.3100 +	43.9552 +	9.9574	10.2500	0.0	90 00 00.00	0+05.0000
GLR	5.0198	10.4830	0.2750	1.5850 +	43.9175 +	10.2298	10.2692	0.0	90 00 00.00	0+05.0000
<G-2>	5.0270	5.4794	0.5750	2.1600 +	43.8387 +	10.7993	10.0000	0.0	90 00 00.00	0+05.0000
GRL	5.0342	10.5143	0.5750	2.7350 +	43.7598 +	11.3689	10.3497	0.0	90 00 00.00	0+05.0000
G 2R	5.0376	5.4910	0.2750	3.0100 +	43.7222 +	11.6413	10.3690	0.0	90 00 00.00	0+05.0000
GRR	5.0411	10.5293	0.2750	3.2850 +	43.6845 +	11.9137	10.3882	0.0	90 00 00.00	0+05.0000
L 5	5.0484	5.5028	0.5900	3.8750 +	43.6036 +	12.4982	10.0000	0.0	90 00 00.00	0+05.0000
L 6	5.0503	5.5048	0.1500	4.0250 +	43.5830 +	12.6467	11.2500	0.0	90 00 00.00	0+05.0000

CROSS NAME *** C-2 *** T=277 09 43.10

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	10.3502	0.0	3.8200 +	49.5679 +	5.5239	11.2500	0.0	90 00 00.00	0+10.0000
L 2	4.9541	10.3541	0.1500	3.6700 +	49.5492 +	5.6727	10.0000	0.0	90 00 00.00	0+10.0000
-GLL	4.5067	14.9747	0.6550	3.0150 +	49.4676 +	6.3226	10.2307	0.0	90 00 00.00	0+10.0000
G 1L	4.9658	10.3784	0.2750	2.7400 +	49.4333 +	6.5955	10.2500	0.0	90 00 00.00	0+10.0000
GLR	4.5136	14.9968	0.2750	2.4650 +	49.3990 +	6.8683	10.2692	0.0	90 00 00.00	0+10.0000
<G1>	4.9764	10.4006	0.5750	1.8900 +	49.3273 +	7.4388	10.0000	0.0	90 00 00.00	0+10.0000
GRL	4.5279	15.0423	0.5750	1.3150 +	49.2556 +	8.0094	10.3497	0.0	90 00 00.00	0+10.0000
G 1R	4.9870	10.4228	0.2750	1.0400 +	49.2214 +	8.2822	10.3690	0.0	90 00 00.00	0+10.0000
GRR	4.5348	15.0641	0.2750	0.7650 +	49.1871 +	8.5551	10.3882	0.0	90 00 00.00	0+10.0000
L 3	4.9978	10.4454	0.5900	0.1750 +	49.1135 +	9.1405	10.0000	0.0	90 00 00.00	0+10.0000
C-L	5.0000	10.4500	0.1750	0.0000 +	49.0917 +	9.3141	11.3200	0.0	90 00 00.00	0+10.0000
L 4	5.0022	10.4546	0.1750	0.1750 +	49.0699 +	9.4877	10.0000	0.0	90 00 00.00	0+10.0000
GLL	5.0129	19.9876	0.8600	1.0350 +	48.9627 +	10.3410	10.2307	0.0	90 00 00.00	0+10.0000
G 2L	5.0164	10.4842	0.2750	1.3100 +	48.9284 +	10.6139	10.2500	0.0	90 00 00.00	0+10.0000
GLR	5.0198	20.0164	0.2750	1.5850 +	48.8941 +	10.8867	10.2692	0.0	90 00 00.00	0+10.0000
<G-2>	5.0270	10.5064	0.5750	2.1600 +	48.8224 +	11.4572	10.0000	0.0	90 00 00.00	0+10.0000
GRL	5.0342	20.0765	0.5750	2.7350 +	48.7507 +	12.0278	10.3497	0.0	90 00 00.00	0+10.0000
G 2R	5.0376	10.5286	0.2750	3.0100 +	48.7164 +	12.3006	10.3690	0.0	90 00 00.00	0+10.0000
GRR	5.0411	20.1052	0.2750	3.2850 +	48.6821 +	12.5735	10.3882	0.0	90 00 00.00	0+10.0000
L 5	5.0484	10.5512	0.5900	3.8750 +	48.6086 +	13.1589	10.0000	0.0	90 00 00.00	0+10.0000
L 6	5.0503	10.5552	0.1500	4.0250 +	48.5899 +	13.3077	11.2500	0.0	90 00 00.00	0+10.0000

163

CROSS NAME *** C-3 *** T=276 26 44.79

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	15.3025	0.0	3.8200 +	54.4853 +	6.1106	11.2500	0.0	90 00 00.00	0+15.0000
L 2	4.9541	15.3082	0.1500	3.8700 +	54.4685 +	6.2596	10.0000	0.0	90 00 00.00	0+15.0000
GLL	4.4561	24.4437	0.8550	3.0150 +	54.3949 +	6.9105	10.2307	0.0	90 00 00.00	0+15.0000
G 1L	4.9658	15.3442	0.2750	2.7400 +	54.3640 +	7.1838	10.2500	0.0	90 00 00.00	0+15.0000
GLR	4.4629	24.4793	0.2750	2.4650 +	54.3332 +	7.4570	10.2692	0.0	90 00 00.00	0+15.0000
<G1>	4.9764	15.3770	0.5750	1.8900 +	54.2686 +	8.0284	10.0000	0.0	90 00 00.00	0+15.0000
GRL	4.4773	24.5538	0.5750	1.3150 +	54.2041 +	8.5998	10.3497	0.0	90 00 00.00	0+15.0000
G 1R	4.9870	15.4098	0.2750	1.0400 +	54.1732 +	8.8730	10.3690	0.0	90 00 00.00	0+15.0000
GRR	4.4842	24.5894	0.2750	0.7650 +	54.1423 +	9.1463	10.3882	0.0	90 00 00.00	0+15.0000
L 3	4.9978	15.4432	0.5900	0.1750 +	54.0761 +	9.7326	10.0000	0.0	90 00 00.00	0+15.0000
C-L	5.0000	15.4500	0.1750	0.0000 +	54.0564 +	9.9065	11.3200	0.0	90 00 00.00	0+15.0000
L 4	5.0022	15.4568	0.1750	0.1750 +	54.0368 +	10.0803	10.0000	0.0	90 00 00.00	0+15.0000
GLL	5.0129	29.4566	0.8600	1.0350 +	53.9403 +	10.9349	10.2307	0.0	90 00 00.00	0+15.0000
G 2L	5.0164	15.5006	0.2750	1.3100 +	53.9094 +	11.2082	10.2500	0.0	90 00 00.00	0+15.0000
GLR	5.0188	29.4991	0.2750	1.5850 +	53.8785 +	11.4814	10.2692	0.0	90 00 00.00	0+15.0000
<G-2>	5.0270	15.5334	0.5750	2.1600 +	53.8140 +	12.0526	10.0000	0.0	90 00 00.00	0+15.0000
GRL	5.0342	29.5880	0.5750	2.7350 +	53.7494 +	12.6242	10.3497	0.0	90 00 00.00	0+15.0000
G 2R	5.0376	15.5663	0.2750	3.0100 +	53.7185 +	12.8974	10.3690	0.0	90 00 00.00	0+15.0000
GRR	5.0411	29.6305	0.2750	3.2850 +	53.6877 +	13.1707	10.3882	0.0	90 00 00.00	0+15.0000
L 5	5.0484	15.5997	0.5900	3.8750 +	53.6214 +	13.7570	10.0000	0.0	90 00 00.00	0+15.0000
L 6	5.0503	15.6055	0.1500	4.0250 +	53.6046 +	13.9060	11.2500	0.0	90 00 00.00	0+15.0000

CROSS NAME *** C-4 *** T=275 43 46.48

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	20.2547	0.0	3.8200 +	59.4096 +	6.6358	11.2500	0.0	90 00 00.00	1+00.0000
L 2	4.9541	20.2624	0.1500	3.6700 +	59.3946 +	6.7850	10.0000	0.0	90 00 00.00	1+00.0000
GLL	4.4054	33.8621	0.6550	3.0150 +	59.3292 +	7.4368	10.2307	0.0	90 00 00.00	1+00.0000
G 1L	4.9658	20.3099	0.2750	2.7400 +	59.3018 +	7.7104	10.2500	0.0	90 00 00.00	1+00.0000
GLR	4.4123	33.9114	0.2750	2.4650 +	59.2743 +	7.9840	10.2692	0.0	90 00 00.00	1+00.0000
<G1>	4.9764	20.3534	0.5750	1.8900 +	59.2169 +	8.5561	10.0000	0.0	90 00 00.00	1+00.0000
GRL	4.4267	34.0147	0.5750	1.3150 +	59.1595 +	9.1283	10.3497	0.0	90 00 00.00	1+00.0000
G 1R	4.9870	20.3968	0.2750	1.0400 +	59.1320 +	9.4019	10.3690	0.0	90 00 00.00	1+00.0000
GRR	4.4336	34.0640	0.2750	0.7650 +	59.1046 +	9.6755	10.3882	0.0	90 00 00.00	1+00.0000
L 3	4.9978	20.4411	0.5900	0.1750 +	59.0457 +	10.2626	10.0000	0.0	90 00 00.00	1+00.0000
C-L	5.0000	20.4500	0.1750	0.0000 +	59.0282 +	10.4367	11.3200	0.0	90 00 00.00	1+00.0000
L 4	5.0022	20.4589	0.1750	0.1750 +	59.0107 +	10.6108	10.0000	0.0	90 00 00.00	1+00.0000
GLL	5.0129	38.8750	0.8600	1.0350 +	58.9249 +	11.4665	10.2307	0.0	90 00 00.00	1+00.0000
G 2L	5.0164	20.5170	0.2750	1.3100 +	58.8974 +	11.7402	10.2500	0.0	90 00 00.00	1+00.0000
GLR	5.0198	38.9313	0.2750	1.5850 +	58.8700 +	12.0138	10.2692	0.0	90 00 00.00	1+00.0000
<G-2>	5.0270	20.5804	0.5750	2.1600 +	58.8126 +	12.5859	10.0000	0.0	90 00 00.00	1+00.0000
GRL	5.0342	39.0488	0.5750	2.7350 +	58.7552 +	13.1580	10.3497	0.0	90 00 00.00	1+00.0000
G 2R	5.0376	20.6039	0.2750	3.0100 +	58.7277 +	13.4317	10.3690	0.0	90 00 00.00	1+00.0000
GRR	5.0411	39.1051	0.2750	3.2850 +	58.7003 +	13.7053	10.3882	0.0	90 00 00.00	1+00.0000
L 5	5.0484	20.6481	0.5900	3.8750 +	58.6414 +	14.2923	10.0000	0.0	90 00 00.00	1+00.0000
L 6	5.0503	20.6558	0.1500	4.0250 +	58.6264 +	14.4416	11.2500	0.0	90 00 00.00	1+00.0000

CROSS NAME *** C-5 *** T=275 00 48.17

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	25.2070	0.0	3.8200	64.3401	7.0994	11.2500	0.0	90 00 00.00	1+05.0000
L 2	4.9541	25.2165	0.1500	3.8700	64.3269	7.2488	10.0000	0.0	90 00 00.00	1+05.0000
GLL	4.3548	43.2298	0.8550	3.0150	64.2897	7.9013	10.2307	0.0	90 00 00.00	1+05.0000
G 1L	4.9858	25.2757	0.2750	2.7400	64.2457	8.1752	10.2500	0.0	90 00 00.00	1+05.0000
GLR	4.3617	43.2929	0.2750	2.4650	64.2216	8.4492	10.2692	0.0	90 00 00.00	1+05.0000
<G1>	4.9784	25.3297	0.5750	1.8900	64.1714	9.0220	10.0000	0.0	90 00 00.00	1+05.0000
GRL	4.3761	43.4249	0.5750	1.3150	64.1211	9.5948	10.3497	0.0	90 00 00.00	1+05.0000
G 1R	4.9870	25.3838	0.2750	1.0400	64.0971	9.8687	10.3890	0.0	90 00 00.00	1+05.0000
GRR	4.3829	43.4880	0.2750	0.7850	64.0731	10.1427	10.3882	0.0	90 00 00.00	1+05.0000
L 3	4.9978	25.4389	0.5900	0.1750	64.0215	10.7304	10.0000	0.0	90 00 00.00	1+05.0000
C-L	5.0000	25.4500	0.1750	0.0000	64.0062	10.9048	11.3200	0.0	90 00 00.00	1+05.0000
L 4	5.0022	25.4611	0.1750	0.1750	63.9909	11.0791	10.0000	0.0	90 00 00.00	1+05.0000
GLL	5.0129	48.2428	0.8600	1.0350	63.9158	11.9358	10.2307	0.0	90 00 00.00	1+05.0000
G 2L	5.0164	25.5333	0.2750	1.3100	63.8917	12.2097	10.2500	0.0	90 00 00.00	1+05.0000
GLR	5.0198	48.3128	0.2750	1.5850	63.8677	12.4837	10.2692	0.0	90 00 00.00	1+05.0000
<G-2>	5.0270	25.5874	0.5750	2.1800	63.8175	13.0565	10.0000	0.0	90 00 00.00	1+05.0000
GRL	5.0342	48.4591	0.5750	2.7350	63.7672	13.6293	10.3497	0.0	90 00 00.00	1+05.0000
G 2R	5.0378	25.6415	0.2750	3.0100	63.7432	13.9032	10.3690	0.0	90 00 00.00	1+05.0000
GRR	5.0411	48.5291	0.2750	3.2850	63.7192	14.1772	10.3882	0.0	90 00 00.00	1+05.0000
L 5	5.0484	25.6985	0.5900	3.8750	63.6676	14.7649	10.0000	0.0	90 00 00.00	1+05.0000
L 6	5.0503	25.7061	0.1500	4.0250	63.6545	14.9144	11.2500	0.0	90 00 00.00	1+05.0000

CROSS NAME *** C-6 *** T=274 17 49.86

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	30.1592	0.0	3.8200 +	69.2759 +	7.5013	11.2500	0.0	90 00 00.00	1+10.0000
L 2	4.9541	30.1706	0.1500	3.6700 +	69.2647 +	7.6509	10.0000	0.0	90 00 00.00	1+10.0000
GLL	4.3042	52.5470	0.6550	3.0150 +	69.2156 +	8.3040	10.2307	0.0	90 00 00.00	1+10.0000
G 1L	4.9658	30.2414	0.2750	2.7400 +	69.1950 +	8.5783	10.2500	0.0	90 00 00.00	1+10.0000
GLR	4.3111	52.6238	0.2750	2.4650 +	69.1744 +	8.8525	10.2692	0.0	90 00 00.00	1+10.0000
<G1>	4.9764	30.3061	0.5750	1.8900 +	69.1313 +	9.4259	10.0000	0.0	90 00 00.00	1+10.0000
GRL	4.3254	52.7845	0.5750	1.3150 +	69.0882 +	9.9993	10.3497	0.0	90 00 00.00	1+10.0000
G 1R	4.9870	30.3708	0.2750	1.0400 +	69.0676 +	10.2735	10.3690	0.0	90 00 00.00	1+10.0000
GRR	4.3323	52.8614	0.2750	0.7650 +	69.0470 +	10.5477	10.3882	0.0	90 00 00.00	1+10.0000
L 3	4.9978	30.4367	0.5900	0.1750 +	69.0028 +	11.1361	10.0000	0.0	90 00 00.00	1+10.0000
C-L	5.0000	30.4500	0.1750	0.0000 +	68.9897 +	11.3106	11.3200	0.0	90 00 00.00	1+10.0000
L 4	5.0022	30.4633	0.1750	0.1750 +	68.9766 +	11.4851	10.0000	0.0	90 00 00.00	1+10.0000
GLL	5.0129	57.5599	0.8600	1.0350 +	68.9121 +	12.3426	10.2307	0.0	90 00 00.00	1+10.0000
G 2L	5.0164	30.5497	0.2750	1.3100 +	68.8915 +	12.6169	10.2500	0.0	90 00 00.00	1+10.0000
GLR	5.0198	57.6436	0.2750	1.5850 +	68.8709 +	12.8911	10.2692	0.0	90 00 00.00	1+10.0000
<G-2>	5.0270	30.6144	0.5750	2.1600 +	68.8279 +	13.4645	10.0000	0.0	90 00 00.00	1+10.0000
GRL	5.0342	57.8187	0.5750	2.7350 +	68.7848 +	14.0379	10.3497	0.0	90 00 00.00	1+10.0000
G 2R	5.0376	30.6791	0.2750	3.0100 +	68.7642 +	14.3121	10.3690	0.0	90 00 00.00	1+10.0000
GRR	5.0411	57.9025	0.2750	3.2850 +	68.7436 +	14.5863	10.3882	0.0	90 00 00.00	1+10.0000
L 5	5.0484	30.7450	0.5900	3.8750 +	68.6993 +	15.1747	10.0000	0.0	90 00 00.00	1+10.0000
L 6	5.0503	30.7584	0.1500	4.0250 +	68.6881 +	15.3242	11.2500	0.0	90 00 00.00	1+10.0000

CROSS NAME *** C-7 *** T=273 34 51.55

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	35.1115	0.0	3.8200 +	74.2165 +	7.8415	11.2500	0.0	90 00 00.00	1+15.0000
L 2	4.9541	35.1247	0.1500	3.6700 +	74.2071 +	7.9912	10.0000	0.0	90 00 00.00	1+15.0000
GLL	4.2536	61.8135	0.8550	3.0150 +	74.1662 +	8.6449	10.2307	0.0	90 00 00.00	1+15.0000
G 1L	4.9658	35.2072	0.2750	2.7400 +	74.1490 +	8.9194	10.2500	0.0	90 00 00.00	1+15.0000
GLR	4.2604	61.9041	0.2750	2.4650 +	74.1318 +	9.1938	10.2692	0.0	90 00 00.00	1+15.0000
<G1>	4.9764	35.2825	0.5750	1.8900 +	74.0959 +	9.7677	10.0000	0.0	90 00 00.00	1+15.0000
GRL	4.2748	62.0935	0.5750	1.3150 +	74.0600 +	10.3416	10.3497	0.0	90 00 00.00	1+15.0000
G 1R	4.9870	35.3578	0.2750	1.0400 +	74.0428 +	10.6161	10.3690	0.0	90 00 00.00	1+15.0000
GRR	4.2817	62.1841	0.2750	0.7650 +	74.0256 +	10.8905	10.3882	0.0	90 00 00.00	1+15.0000
L 3	4.9978	35.4345	0.5900	0.1750 +	73.9888 +	11.4794	10.0000	0.0	90 00 00.00	1+15.0000
C-L	5.0000	35.4500	0.1750	0.0000 +	73.9779 +	11.6540	11.3200	0.0	90 00 00.00	1+15.0000
L 4	5.0022	35.4655	0.1750	0.1750 +	73.9669 +	11.8287	10.0000	0.0	90 00 00.00	1+15.0000
GLL	5.0129	66.8264	0.8600	1.0350 +	73.9132 +	12.6870	10.2307	0.0	90 00 00.00	1+15.0000
G 2L	5.0164	35.5661	0.2750	1.3100 +	73.8960 +	12.9615	10.2500	0.0	90 00 00.00	1+15.0000
GLR	5.0198	66.9239	0.2750	1.5850 +	73.8789 +	13.2359	10.2692	0.0	90 00 00.00	1+15.0000
<G-2>	5.0270	35.6414	0.5750	2.1600 +	73.8429 +	13.8098	10.0000	0.0	90 00 00.00	1+15.0000
GRL	5.0342	67.1277	0.5750	2.7350 +	73.8070 +	14.3837	10.3497	0.0	90 00 00.00	1+15.0000
G 2R	5.0376	35.7168	0.2750	3.0100 +	73.7899 +	14.6582	10.3690	0.0	90 00 00.00	1+15.0000
GRR	5.0411	67.2252	0.2750	3.2850 +	73.7727 +	14.9326	10.3882	0.0	90 00 00.00	1+15.0000
L 5	5.0484	35.7934	0.5900	3.8750 +	73.7358 +	15.5215	10.0000	0.0	90 00 00.00	1+15.0000
L 6	5.0503	35.8067	0.1500	4.0250 +	73.7265 +	15.6712	11.2500	0.0	90 00 00.00	1+15.0000

CROSS NAME *** S-2 *** T=272 51 53.24

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	40.0637	0.0	3.8200 +	79.1608 +	8.1199	11.2500	0.0	90 00 00.00	2+00.0000
L 2	4.9541	40.0789	0.1500	3.8700 +	79.1533 +	8.2697	10.0000	0.0	90 00 00.00	2+00.0000
GLL	4.2029	71.0293	0.8550	3.0150 +	79.1206 +	8.9239	10.2307	0.0	90 00 00.00	2+00.0000
G 1L	4.9658	40.1729	0.2750	2.7400 +	79.1069 +	9.1986	10.2500	0.0	90 00 00.00	2+00.0000
GLR	4.2098	71.1337	0.2750	2.4650 +	79.0931 +	9.4732	10.2692	0.0	90 00 00.00	2+00.0000
<G1>	4.9764	40.2589	0.5750	1.8900 +	79.0644 +	10.0475	10.0000	0.0	90 00 00.00	2+00.0000
GRL	4.2242	71.3519	0.5750	1.3150 +	79.0356 +	10.6218	10.3497	0.0	90 00 00.00	2+00.0000
G 1R	4.9870	40.3448	0.2750	1.0400 +	79.0219 +	10.8964	10.3690	0.0	90 00 00.00	2+00.0000
GRR	4.2311	71.4563	0.2750	0.7650 +	79.0082 +	11.1711	10.3882	0.0	90 00 00.00	2+00.0000
L 3	4.9978	40.4323	0.5900	0.1750 +	78.9787 +	11.7604	10.0000	0.0	90 00 00.00	2+00.0000
C-L	5.0000	40.4500	0.1750	0.0000 +	78.9699 +	11.9351	11.3200	0.0	90 00 00.00	2+00.0000
L 4	5.0022	40.4677	0.1750	0.1750 +	78.9612 +	12.1099	10.0000	0.0	90 00 00.00	2+00.0000
GLL	5.0129	78.0423	0.8600	1.0350 +	78.9182 +	12.9688	10.2307	0.0	90 00 00.00	2+00.0000
G 2L	5.0164	40.5825	0.2750	1.3100 +	78.9044 +	13.2435	10.2500	0.0	90 00 00.00	2+00.0000
GLR	5.0198	78.1535	0.2750	1.5850 +	78.8907 +	13.5182	10.2692	0.0	90 00 00.00	2+00.0000
<G-2>	5.0270	40.6684	0.5750	2.1600 +	78.8620 +	14.0924	10.0000	0.0	90 00 00.00	2+00.0000
GRL	5.0342	78.3861	0.5750	2.7350 +	78.8332 +	14.6667	10.3497	0.0	90 00 00.00	2+00.0000
G 2R	5.0378	40.7544	0.2750	3.0100 +	78.8195 +	14.9414	10.3690	0.0	90 00 00.00	2+00.0000
GRR	5.0411	78.4973	0.2750	3.2850 +	78.8057 +	15.2160	10.3882	0.0	90 00 00.00	2+00.0000
L 5	5.0484	40.8419	0.5900	3.8750 +	78.7762 +	15.8053	10.0000	0.0	90 00 00.00	2+00.0000
L 6	5.0503	40.8570	0.1500	4.0250 +	78.7667 +	15.9551	11.2500	0.0	90 00 00.00	2+00.0000

CROSS NAME *** C-8 *** T=272 08 54.93

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	45.0160	0.0	3.8200 +	84.1083 +	8.3385	11.2500	0.0	90 00 00.00	2+05.0000
L 2	4.9541	45.0330	0.1500	3.6700 +	84.1027 +	8.4864	10.0000	0.0	90 00 00.00	2+05.0000
GLL	4.1523	80.1946	0.6550	3.0150 +	84.0781 +	9.1409	10.2307	0.0	90 00 00.00	2+05.0000
G 1L	4.9858	45.1387	0.2750	2.7400 +	84.0678 +	9.4157	10.2500	0.0	90 00 00.00	2+05.0000
GLR	4.1592	80.3127	0.2750	2.4650 +	84.0575 +	9.8905	10.2692	0.0	90 00 00.00	2+05.0000
<G1>	4.9764	45.2352	0.5750	1.8900 +	84.0360 +	10.2851	10.0000	0.0	90 00 00.00	2+05.0000
GRL	4.1736	80.5597	0.5750	1.3150 +	84.0144 +	10.8397	10.3497	0.0	90 00 00.00	2+05.0000
G 1R	4.9870	45.3318	0.2750	1.0400 +	84.0041 +	11.1145	10.3690	0.0	90 00 00.00	2+05.0000
GRR	4.1804	80.6778	0.2750	0.7650 +	83.9938 +	11.3894	10.3882	0.0	90 00 00.00	2+05.0000
L 3	4.9978	45.4301	0.5900	0.1750 +	83.9717 +	11.9789	10.0000	0.0	90 00 00.00	2+05.0000
C-L	5.0000	45.4500	0.1750	0.0000 +	83.9651 +	12.1538	11.3200	0.0	90 00 00.00	2+05.0000
L 4	5.0022	45.4699	0.1750	0.1750 +	83.9585 +	12.3287	10.0000	0.0	90 00 00.00	2+05.0000
GLL	5.0129	85.2075	0.8600	1.0350 +	83.9263 +	13.1881	10.2307	0.0	90 00 00.00	2+05.0000
G 2L	5.0164	45.5988	0.2750	1.3100 +	83.9160 +	13.4629	10.2500	0.0	90 00 00.00	2+05.0000
GLR	5.0198	85.3325	0.2750	1.5850 +	83.9057 +	13.7377	10.2692	0.0	90 00 00.00	2+05.0000
<G-2>	5.0270	45.6954	0.5750	2.1600 +	83.8841 +	14.3123	10.0000	0.0	90 00 00.00	2+05.0000
GRL	5.0342	85.5938	0.5750	2.7350 +	83.8626 +	14.8869	10.3497	0.0	90 00 00.00	2+05.0000
G 2R	5.0376	45.7920	0.2750	3.0100 +	83.8523 +	15.1617	10.3690	0.0	90 00 00.00	2+05.0000
GRR	5.0411	85.7188	0.2750	3.2850 +	83.8419 +	15.4365	10.3882	0.0	90 00 00.00	2+05.0000
L 5	5.0484	45.8903	0.5900	3.8750 +	83.8198 +	16.0261	10.0000	0.0	90 00 00.00	2+05.0000
L 6	5.0503	45.9073	0.1500	4.0250 +	83.8142 +	16.1760	11.2500	0.0	90 00 00.00	2+05.0000

CROSS NAME *** C-9 *** T=271 25 56.62

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	49.9682	0.0	3.8200 +	89.0581 +	8.4912	11.2500	0.0	90 00 00.00	2+10.0000
L 2	4.9541	49.9871	0.1500	3.6700 +	89.0544 +	8.6412	10.0000	0.0	90 00 00.00	2+10.0000
GLL	4.1017	89.3092	0.6550	3.0150 +	89.0380 +	9.2960	10.2307	0.0	90 00 00.00	2+10.0000
G 1L	4.9658	50.1044	0.2750	2.7400 +	89.0311 +	9.5709	10.2500	0.0	90 00 00.00	2+10.0000
GLR	4.1086	89.4411	0.2750	2.4650 +	89.0242 +	9.8458	10.2692	0.0	90 00 00.00	2+10.0000
<G1>	4.9764	50.2116	0.5750	1.8900 +	89.0099 +	10.4206	10.0000	0.0	90 00 00.00	2+10.0000
GRL	4.1229	89.7168	0.5750	1.3150 +	88.9955 +	10.9954	10.3497	0.0	90 00 00.00	2+10.0000
G 1R	4.9870	50.3188	0.2750	1.0400 +	88.9886 +	11.2704	10.3690	0.0	90 00 00.00	2+10.0000
GRR	4.1298	89.8486	0.2750	0.7650 +	88.9817 +	11.5453	10.3882	0.0	90 00 00.00	2+10.0000
L 3	4.9978	50.4279	0.5900	0.1750 +	88.9670 +	12.1351	10.0000	0.0	90 00 00.00	2+10.0000
C-L	5.0000	50.4500	0.1750	0.0000 +	88.9626 +	12.3100	11.3200	0.0	90 00 00.00	2+10.0000
L 4	5.0022	50.4721	0.1750	0.1750 +	88.9583 +	12.4850	10.0000	0.0	90 00 00.00	2+10.0000
GLL	5.0129	94.3221	0.8600	1.0350 +	88.9368 +	13.3447	10.2307	0.0	90 00 00.00	2+10.0000
G 2L	5.0164	50.6152	0.2750	1.3100 +	88.9299 +	13.6196	10.2500	0.0	90 00 00.00	2+10.0000
GLR	5.0198	94.4609	0.2750	1.5850 +	88.9230 +	13.8945	10.2692	0.0	90 00 00.00	2+10.0000
<G-2>	5.0270	50.7224	0.5750	2.1600 +	88.9086 +	14.4694	10.0000	0.0	90 00 00.00	2+10.0000
GRL	5.0342	94.7510	0.5750	2.7350 +	88.8943 +	15.0442	10.3497	0.0	90 00 00.00	2+10.0000
G 2R	5.0376	50.8296	0.2750	3.0100 +	88.8874 +	15.3191	10.3690	0.0	90 00 00.00	2+10.0000
GRR	5.0411	94.8897	0.2750	3.2850 +	88.8805 +	15.5940	10.3882	0.0	90 00 00.00	2+10.0000
L 5	5.0484	50.9387	0.5900	3.8750 +	88.8658 +	16.1838	10.0000	0.0	90 00 00.00	2+10.0000
L 6	5.0503	50.9577	0.1500	4.0250 +	88.8620 +	16.3338	11.2500	0.0	90 00 00.00	2+10.0000

CROSS NAME *** C-10 *** T=270 42 58.31

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	54.9205	0.0	3.8200 +	94.0095 +	8.5841	11.2500	0.0	90 00 00.00	2+15.0000
L 2	4.9541	54.9412	0.1500	3.6700 +	94.0076 +	8.7341	10.0000	0.0	90 00 00.00	2+15.0000
GLL -	4.0511	98.3732	0.6550	3.0150 +	93.9994 +	9.3890	10.2307	0.0	90 00 00.00	2+15.0000
G 1L	4.9658	55.0702	0.2750	2.7400 +	93.9980 +	9.6640	10.2500	0.0	90 00 00.00	2+15.0000
GLR	4.0579	98.5188	0.2750	2.4650 +	93.9925 +	9.9390	10.2692	0.0	90 00 00.00	2+15.0000
<G1>	4.9764	55.1880	0.5750	1.8900 +	93.9853 +	10.5139	10.0000	0.0	90 00 00.00	2+15.0000
GRL	4.0723	98.8233	0.5750	1.3150 +	93.9782 +	11.0889	10.3497	0.0	90 00 00.00	2+15.0000
G 1R	4.9870	55.3058	0.2750	1.0400 +	93.9747 +	11.3639	10.3690	0.0	90 00 00.00	2+15.0000
GRR	4.0792	98.9689	0.2750	0.7650 +	93.9713 +	11.6388	10.3882	0.0	90 00 00.00	2+15.0000
L 3	4.9978	55.4257	0.5900	0.1750 +	93.9639 +	12.2288	10.0000	0.0	90 00 00.00	2+15.0000
C-L	5.0000	55.4500	0.1750	0.0000 +	93.9617 +	12.4038	11.3200	0.0	90 00 00.00	2+15.0000
L 4	5.0022	55.4743	0.1750	0.1750 +	93.9595 +	12.5788	10.0000	0.0	90 00 00.00	2+15.0000
GLL	5.0129	103.3861	0.8600	1.0350 +	93.9488 +	13.4387	10.2307	0.0	90 00 00.00	2+15.0000
G 2L	5.0164	55.6316	0.2750	1.3100 +	93.9453 +	13.7137	10.2500	0.0	90 00 00.00	2+15.0000
GLR	5.0198	103.5386	0.2750	1.5850 +	93.9419 +	13.9887	10.2692	0.0	90 00 00.00	2+15.0000
<G-2>	5.0270	55.7494	0.5750	2.1800 +	93.9347 +	14.5636	10.0000	0.0	90 00 00.00	2+15.0000
GRL	5.0342	103.8575	0.5750	2.7350 +	93.9275 +	15.1386	10.3497	0.0	90 00 00.00	2+15.0000
G 2R	5.0376	55.8673	0.2750	3.0100 +	93.9241 +	15.4135	10.3690	0.0	90 00 00.00	2+15.0000
GRR	5.0411	104.0100	0.2750	3.2850 +	93.9207 +	15.6885	10.3882	0.0	90 00 00.00	2+15.0000
L 5	5.0484	55.9872	0.5900	3.8750 +	93.9133 +	16.2785	10.0000	0.0	90 00 00.00	2+15.0000
L 6	5.0503	56.0080	0.1500	4.0250 +	93.9114 +	16.4285	11.2500	0.0	90 00 00.00	2+15.0000

CROSS NAME *** C-11 *** T=270 00 00.00

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	59.8727	0.0	3.8200 +	98.9616 +	8.6150	11.2500	0.0	90 00 00.00	3+00.0000
L 2	4.9541	59.8954	0.1500	3.6700 +	98.9616 +	8.7650	10.0000	0.0	90 00 00.00	3+00.0000
GLL	4.0004	107.3866	0.6550	3.0150 +	98.9616 +	9.4200	10.2307	0.0	90 00 00.00	3+00.0000
G 1L	4.9658	60.0359	0.2750	2.7400 +	98.9616 +	9.6950	10.2500	0.0	90 00 00.00	3+00.0000
GLR	4.0073	107.5459	0.2750	2.4650 +	98.9616 +	9.9700	10.2692	0.0	90 00 00.00	3+00.0000
<G1>	4.9764	60.1644	0.5750	1.8900 +	98.9616 +	10.5450	10.0000	0.0	90 00 00.00	3+00.0000
GRL	4.0217	107.8792	0.5750	1.3150 +	98.9616 +	11.1200	10.3497	0.0	90 00 00.00	3+00.0000
G 1R	4.9870	60.2928	0.2750	1.0400 +	98.9616 +	11.3950	10.3690	0.0	90 00 00.00	3+00.0000
GRR	4.0286	108.0385	0.2750	0.7650 +	98.9616 +	11.6700	10.3882	0.0	90 00 00.00	3+00.0000
L 3	4.9978	60.4236	0.5900	0.1750 +	98.9616 +	12.2600	10.0000	0.0	90 00 00.00	3+00.0000
C-L	5.0000	60.4500	0.1750	0.0000 +	98.9616 +	12.4350	11.3200	0.0	90 00 00.00	3+00.0000
L 4	5.0022	60.4764	0.1750	0.1750 +	98.9616 +	12.8100	10.0000	0.0	90 00 00.00	3+00.0000
GLL	5.0129	112.3995	0.8600	1.0350 +	98.9616 +	13.4700	10.2307	0.0	90 00 00.00	3+00.0000
G 2L	5.0164	60.6480	0.2750	1.3100 +	98.9616 +	13.7450	10.2500	0.0	90 00 00.00	3+00.0000
GLR	5.0198	112.5658	0.2750	1.5850 +	98.9616 +	14.0200	10.2692	0.0	90 00 00.00	3+00.0000
<G-2>	5.0270	60.7764	0.5750	2.1600 +	98.9616 +	14.5950	10.0000	0.0	90 00 00.00	3+00.0000
GRL	5.0342	112.9133	0.5750	2.7350 +	98.9616 +	15.1700	10.3497	0.0	90 00 00.00	3+00.0000
G 2R	5.0376	60.9049	0.2750	3.0100 +	98.9616 +	15.4450	10.3690	0.0	90 00 00.00	3+00.0000
GRR	5.0411	113.0796	0.2750	3.2850 +	98.9616 +	15.7200	10.3882	0.0	90 00 00.00	3+00.0000
L 5	5.0484	61.0356	0.5900	3.8750 +	98.9616 +	16.3100	10.0000	0.0	90 00 00.00	3+00.0000
L 6	5.0503	61.0583	0.1500	4.0250 +	98.9616 +	16.4600	11.2500	0.0	90 00 00.00	3+00.0000

CROSS NAME *** C-12 *** T=269 17 01.69

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9522	64.8249	0.0	3.8200 +	103.9137 +	8.5841	11.2500	0.0	90 00 00.00	3+05.0000
L 2	4.9541	64.8495	0.1500	3.6700 +	103.9156 +	8.7341	10.0000	0.0	90 00 00.00	3+05.0000
GLL	3.9498	116.3493	0.6550	3.0150 +	103.9236 +	9.3890	10.2307	0.0	90 00 00.00	3+05.0000
G 1L	4.9657	65.0017	0.2750	2.7400 +	103.9272 +	9.6640	10.2500	0.0	90 00 00.00	3+05.0000
GLR	3.9567	116.5224	0.2750	2.4650 +	103.9306 +	9.9390	10.2692	0.0	90 00 00.00	3+05.0000
<G1>	4.9764	65.1407	0.5750	1.8900 +	103.9378 +	10.5139	10.0000	0.0	90 00 00.00	3+05.0000
GRL	3.9711	116.8844	0.5750	1.3150 +	103.9450 +	11.0889	10.3497	0.0	90 00 00.00	3+05.0000
G 1R	4.9870	65.2798	0.2750	1.0400 +	103.9485 +	11.3639	10.3690	0.0	90 00 00.00	3+05.0000
GRR	3.9779	117.0575	0.2750	0.7650 +	103.9519 +	11.6388	10.3882	0.0	90 00 00.00	3+05.0000
L 3	4.9978	65.4214	0.5900	0.1750 +	103.9593 +	12.2288	10.0000	0.0	90 00 00.00	3+05.0000
C-L	5.0000	65.4500	0.1750	0.0000 +	103.9615 +	12.4038	11.3200	0.0	90 00 00.00	3+05.0000
L 4	5.0022	65.4786	0.1750	0.1750 +	103.9636 +	12.5786	10.0000	0.0	90 00 00.00	3+05.0000
GLL	5.0129	121.3623	0.8600	1.0350 +	103.9744 +	13.4387	10.2307	0.0	90 00 00.00	3+05.0000
G 2L	5.0164	65.6643	0.2750	1.3100 +	103.9776 +	13.7137	10.2500	0.0	90 00 00.00	3+05.0000
GLR	5.0198	121.5423	0.2750	1.5850 +	103.9813 +	13.9887	10.2692	0.0	90 00 00.00	3+05.0000
<G-2>	5.0270	65.8034	0.5750	2.1600 +	103.9885 +	14.5636	10.0000	0.0	90 00 00.00	3+05.0000
GRL	5.0342	121.9186	0.5750	2.7350 +	103.9956 +	15.1366	10.3497	0.0	90 00 00.00	3+05.0000
G 2R	5.0376	65.9425	0.2750	3.0100 +	103.9991 +	15.4135	10.3690	0.0	90 00 00.00	3+05.0000
GRR	5.0411	122.0986	0.2750	3.2850 +	104.0025 +	15.6885	10.3882	0.0	90 00 00.00	3+05.0000
L 5	5.0484	66.0840	0.5900	3.8750 +	104.0099 +	16.2785	10.0000	0.0	90 00 00.00	3+05.0000
L 6	5.0503	66.1086	0.1500	4.0250 +	104.0116 +	16.4285	11.2500	0.0	90 00 00.00	3+05.0000

CROSS NAME *** C-13 *** T=268 34 03.38

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	69.7772	0.0	3.8200 +	108.8650 +	8.4912	11.2500	0.0	90 00 00.00	3+10.0000
L 2	4.9541	69.8036	0.1500	3.6700 +	108.8688 +	8.6412	10.0000	0.0	90 00 00.00	3+10.0000
GLL	3.8992	125.2615	0.6550	3.0150 +	108.8852 +	9.2960	10.2307	0.0	90 00 00.00	3+10.0000
G 1L	4.9658	69.9674	0.2750	2.7400 +	108.8920 +	9.5709	10.2500	0.0	90 00 00.00	3+10.0000
GLR	3.9061	125.4483	0.2750	2.4650 +	108.8989 +	9.8458	10.2692	0.0	90 00 00.00	3+10.0000
<G1>	4.9764	70.1171	0.5750	1.8900 +	108.9133 +	10.4206	10.0000	0.0	90 00 00.00	3+10.0000
GRL	3.9204	125.8390	0.5750	1.3150 +	108.9277 +	10.9954	10.3497	0.0	90 00 00.00	3+10.0000
G 1R	4.9870	70.2668	0.2750	1.0400 +	108.9345 +	11.2704	10.3690	0.0	90 00 00.00	3+10.0000
GRR	3.9273	126.0259	0.2750	0.7650 +	108.9414 +	11.5453	10.3882	0.0	90 00 00.00	3+10.0000
L 3	4.9978	70.4192	0.5900	0.1750 +	108.9562 +	12.1351	10.0000	0.0	90 00 00.00	3+10.0000
C-L	5.0000	70.4500	0.1750	0.0000 +	108.9605 +	12.3100	11.3200	0.0	90 00 00.00	3+10.0000
L 4	5.0022	70.4808	0.1750	0.1750 +	108.9649 +	12.4850	10.0000	0.0	90 00 00.00	3+10.0000
GLL	5.0129	130.2744	0.8600	1.0350 +	108.9864 +	13.3447	10.2307	0.0	90 00 00.00	3+10.0000
G 2L	5.0184	70.6807	0.2750	1.3100 +	108.9933 +	13.6196	10.2500	0.0	90 00 00.00	3+10.0000
GLR	5.0198	130.4681	0.2750	1.5850 +	109.0002 +	13.8945	10.2692	0.0	90 00 00.00	3+10.0000
<G-2>	5.0270	70.8304	0.5750	2.1600 +	109.0145 +	14.4694	10.0000	0.0	90 00 00.00	3+10.0000
GRL	5.0342	130.8732	0.5750	2.7350 +	109.0289 +	15.0442	10.3497	0.0	90 00 00.00	3+10.0000
G 2R	5.0376	70.9801	0.2750	3.0100 +	109.0358 +	15.3191	10.3690	0.0	90 00 00.00	3+10.0000
GRR	5.0411	131.0670	0.2750	3.2850 +	109.0427 +	15.5940	10.3882	0.0	90 00 00.00	3+10.0000
L 5	5.0484	71.1325	0.5900	3.8750 +	109.0574 +	16.1838	10.0000	0.0	90 00 00.00	3+10.0000
L 6	5.0503	71.1589	0.1500	4.0250 +	109.0612 +	16.3338	11.2500	0.0	90 00 00.00	3+10.0000

CROSS NAME *** C-14 *** T=267 51 05.07

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION		
L 1	4.9523	74.7295	0.0	3.8200	+	113.8149	+	8.3385	11.2500	0.0	90 00 00.00	3+15.0000
L 2	4.9541	74.7577	0.1500	3.6700	+	113.8205	+	8.4864	10.0000	0.0	90 00 00.00	3+15.0000
GLL	3.8486	134.1230	0.8550	3.0150	+	113.8450	+	9.1409	10.2307	0.0	90 00 00.00	3+15.0000
G 1L	4.9658	74.9332	0.2750	2.7400	+	113.8553	+	9.4157	10.2500	0.0	90 00 00.00	3+15.0000
GLR	3.8554	134.3236	0.2750	2.4650	+	113.8657	+	9.6905	10.2692	0.0	90 00 00.00	3+15.0000
<G1>	4.9764	75.0935	0.5750	1.8900	+	113.8872	+	10.2651	10.0000	0.0	90 00 00.00	3+15.0000
GRL	3.8698	134.7430	0.5750	1.3150	+	113.9088	+	10.8397	10.3497	0.0	90 00 00.00	3+15.0000
G 1R	4.9870	75.2538	0.2750	1.0400	+	113.9191	+	11.1145	10.3690	0.0	90 00 00.00	3+15.0000
GRR	3.8767	134.9436	0.2750	0.7650	+	113.9294	+	11.3894	10.3882	0.0	90 00 00.00	3+15.0000
L 3	4.9978	75.4170	0.5900	0.1750	+	113.9515	+	11.9789	10.0000	0.0	90 00 00.00	3+15.0000
C-L	5.0000	75.4500	0.1750	0.0000	+	113.9581	+	12.1538	11.3200	0.0	90 00 00.00	3+15.0000
L 4	5.0022	75.4830	0.1750	0.1750	+	113.9646	+	12.3287	10.0000	0.0	90 00 00.00	3+15.0000
GLL	5.0129	139.1359	0.8600	1.0350	+	113.9969	+	13.1881	10.2307	0.0	90 00 00.00	3+15.0000
G 2L	5.0164	75.6971	0.2750	1.3100	+	114.0072	+	13.4629	10.2500	0.0	90 00 00.00	3+15.0000
GLR	5.0198	139.3434	0.2750	1.5850	+	114.0175	+	13.7377	10.2692	0.0	90 00 00.00	3+15.0000
<G-2>	5.0270	75.8574	0.5750	2.1600	+	114.0390	+	14.3123	10.0000	0.0	90 00 00.00	3+15.0000
GRL	5.0342	139.7772	0.5750	2.7350	+	114.0606	+	14.8869	10.3497	0.0	90 00 00.00	3+15.0000
G 2R	5.0376	76.0178	0.2750	3.0100	+	114.0709	+	15.1617	10.3690	0.0	90 00 00.00	3+15.0000
GRR	5.0411	139.9847	0.2750	3.2850	+	114.0812	+	15.4365	10.3882	0.0	90 00 00.00	3+15.0000
L 5	5.0484	76.1809	0.5900	3.8750	+	114.1033	+	16.0261	10.0000	0.0	90 00 00.00	3+15.0000
L 6	5.0503	76.2092	0.1500	4.0250	+	114.1090	+	16.1760	11.2500	0.0	90 00 00.00	3+15.0000

CROSS NAME *** S-3 *** T=267 08 06.76

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	79.6817	0.0	3.8200 +	118.7623 +	8.1199	11.2500	0.0	90 00 00.00	4+00.0000
L 2	4.9541	79.7119	0.1500	3.6700 +	118.7698 +	8.2697	10.0000	0.0	90 00 00.00	4+00.0000
GLL	3.7979	142.9338	0.6550	3.0150 +	118.8026 +	8.9239	10.2307	0.0	90 00 00.00	4+00.0000
G 1L	4.9658	79.8989	0.2750	2.7400 +	118.8163 +	9.1986	10.2500	0.0	90 00 00.00	4+00.0000
GLR	3.8048	143.1482	0.2750	2.4650 +	118.8301 +	9.4732	10.2692	0.0	90 00 00.00	4+00.0000
<G1>	4.9764	80.0699	0.5750	1.8900 +	118.8588 +	10.0475	10.0000	0.0	90 00 00.00	4+00.0000
GRL	3.8192	143.5964	0.5750	1.3150 +	118.8875 +	10.6218	10.3497	0.0	90 00 00.00	4+00.0000
G 1R	4.9870	80.2408	0.2750	1.0400 +	118.9013 +	10.8964	10.3690	0.0	90 00 00.00	4+00.0000
GRR	3.8261	143.8108	0.2750	0.7650 +	118.9150 +	11.1711	10.3882	0.0	90 00 00.00	4+00.0000
L 3	4.9978	80.4148	0.5900	0.1750 +	118.9445 +	11.7604	10.0000	0.0	90 00 00.00	4+00.0000
C-L	5.0000	80.4500	0.1750	0.0000 +	118.9533 +	11.9351	11.3200	0.0	90 00 00.00	4+00.0000
L 4	5.0022	80.4852	0.1750	0.1750 +	118.9620 +	12.1099	10.0000	0.0	90 00 00.00	4+00.0000
GLL	5.0129	147.9468	0.8600	1.0350 +	119.0050 +	12.9688	10.2307	0.0	90 00 00.00	4+00.0000
G 2L	5.0164	80.7135	0.2750	1.3100 +	119.0187 +	13.2435	10.2500	0.0	90 00 00.00	4+00.0000
GLR	5.0198	148.1680	0.2750	1.5850 +	119.0325 +	13.5182	10.2692	0.0	90 00 00.00	4+00.0000
<G-2>	5.0270	80.8844	0.5750	2.1600 +	119.0612 +	14.0924	10.0000	0.0	90 00 00.00	4+00.0000
GRL	5.0342	148.6306	0.5750	2.7350 +	119.0899 +	14.6667	10.3497	0.0	90 00 00.00	4+00.0000
G 2R	5.0376	81.0554	0.2750	3.0100 +	119.1037 +	14.9414	10.3690	0.0	90 00 00.00	4+00.0000
GRR	5.0411	148.8518	0.2750	3.2850 +	119.1174 +	15.2160	10.3882	0.0	90 00 00.00	4+00.0000
L 5	5.0484	81.2294	0.5900	3.8750 +	119.1469 +	15.8053	10.0000	0.0	90 00 00.00	4+00.0000
L 6	5.0503	81.2595	0.1500	4.0250 +	119.1544 +	15.9551	11.2500	0.0	90 00 00.00	4+00.0000

CROSS NAME *** C-15 *** T=266 25 08.45

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	84.6340	0.0	3.8200 +	123.7067 +	7.8415	11.2500	0.0	90 00 00.00	4+05.0000
L 2	4.9541	84.6660	0.1500	3.6700 +	123.7161 +	7.9912	10.0000	0.0	90 00 00.00	4+05.0000
GLL	3.7473	151.6941	0.6550	3.0150 +	123.7570 +	8.6449	10.2307	0.0	90 00 00.00	4+05.0000
G 1L	4.9658	84.8647	0.2750	2.7400 +	123.7742 +	8.9194	10.2500	0.0	90 00 00.00	4+05.0000
GLR	3.7542	151.9222	0.2750	2.4650 +	123.7913 +	9.1938	10.2692	0.0	90 00 00.00	4+05.0000
<G1>	4.9764	85.0462	0.5750	1.8900 +	123.8273 +	9.7677	10.0000	0.0	90 00 00.00	4+05.0000
GRL	3.7686	152.3992	0.5750	1.3150 +	123.8632 +	10.3416	10.3497	0.0	90 00 00.00	4+05.0000
G 1R	4.9870	85.2276	0.2750	1.0400 +	123.8804 +	10.6161	10.3690	0.0	90 00 00.00	4+05.0000
GRR	3.7754	152.6273	0.2750	0.7650 +	123.8975 +	10.8905	10.3882	0.0	90 00 00.00	4+05.0000
L 3	4.9978	85.4126	0.5900	0.1750 +	123.9344 +	11.4794	10.0000	0.0	90 00 00.00	4+05.0000
C-L	5.0000	85.4500	0.1750	0.0000 +	123.9453 +	11.6540	11.3200	0.0	90 00 00.00	4+05.0000
L 4	5.0022	85.4874	0.1750	0.1750 +	123.9562 +	11.8287	10.0000	0.0	90 00 00.00	4+05.0000
GLL	5.0129	156.7070	0.8600	1.0350 +	124.0100 +	12.6670	10.2307	0.0	90 00 00.00	4+05.0000
G 2L	5.0164	85.7298	0.2750	1.3100 +	124.0271 +	12.9615	10.2500	0.0	90 00 00.00	4+05.0000
GLR	5.0198	156.9420	0.2750	1.5850 +	124.0443 +	13.2359	10.2692	0.0	90 00 00.00	4+05.0000
<G-2>	5.0270	85.9114	0.5750	2.1600 +	124.0802 +	13.8098	10.0000	0.0	90 00 00.00	4+05.0000
GRL	5.0342	157.4333	0.5750	2.7350 +	124.1161 +	14.3837	10.3497	0.0	90 00 00.00	4+05.0000
G 2R	5.0376	86.0930	0.2750	3.0100 +	124.1333 +	14.6582	10.3690	0.0	90 00 00.00	4+05.0000
GRR	5.0411	157.6683	0.2750	3.2850 +	124.1505 +	14.9326	10.3882	0.0	90 00 00.00	4+05.0000
L 5	5.0484	86.2778	0.5900	3.8750 +	124.1873 +	15.5215	10.0000	0.0	90 00 00.00	4+05.0000
L 6	5.0503	86.3098	0.1500	4.0250 +	124.1967 +	15.6712	11.2500	0.0	90 00 00.00	4+05.0000

CROSS NAME *** C-16 *** T=265 42 10.14

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	89.5862	0.0	3.8200 +	128.6472 +	7.5013	11.2500	0.0	90 00 00.00	4+10.0000
L 2	4.9541	89.6201	0.1500	3.6700 +	128.6585 +	7.6509	10.0000	0.0	90 00 00.00	4+10.0000
GLL	3.6967	160.4037	0.8550	3.0150 +	128.7076 +	8.3040	10.2307	0.0	90 00 00.00	4+10.0000
G 1L	4.9658	89.8304	0.2750	2.7400 +	128.7282 +	8.5783	10.2500	0.0	90 00 00.00	4+10.0000
GLR	3.7036	160.6456	0.2750	2.4650 +	128.7488 +	8.8525	10.2692	0.0	90 00 00.00	4+10.0000
<G1>	4.9764	90.0226	0.5750	1.8900 +	128.7918 +	9.4259	10.0000	0.0	90 00 00.00	4+10.0000
GRL	3.7179	161.1513	0.5750	1.3150 +	128.8349 +	9.9993	10.3497	0.0	90 00 00.00	4+10.0000
G 1R	4.9870	90.2148	0.2750	1.0400 +	128.8555 +	10.2735	10.3690	0.0	90 00 00.00	4+10.0000
GRR	3.7248	161.3931	0.2750	0.7650 +	128.8761 +	10.5477	10.3882	0.0	90 00 00.00	4+10.0000
L 3	4.9978	90.4104	0.5900	0.1750 +	128.9204 +	11.1361	10.0000	0.0	90 00 00.00	4+10.0000
C-L	5.0000	90.4500	0.1750	0.0000 +	128.9335 +	11.3106	11.3200	0.0	90 00 00.00	4+10.0000
L 4	5.0022	90.4896	0.1750	0.1750 +	128.9466 +	11.4851	10.0000	0.0	90 00 00.00	4+10.0000
GLL	5.0129	165.4166	0.8600	1.0350 +	129.0110 +	12.3426	10.2307	0.0	90 00 00.00	4+10.0000
G 2L	5.0164	90.7462	0.2750	1.3100 +	129.0316 +	12.6169	10.2500	0.0	90 00 00.00	4+10.0000
GLR	5.0198	165.6854	0.2750	1.5850 +	129.0522 +	12.8911	10.2692	0.0	90 00 00.00	4+10.0000
<G-2>	5.0270	90.9384	0.5750	2.1600 +	129.0953 +	13.4645	10.0000	0.0	90 00 00.00	4+10.0000
GRL	5.0342	166.1855	0.5750	2.7350 +	129.1384 +	14.0379	10.3497	0.0	90 00 00.00	4+10.0000
G 2R	5.0376	91.1306	0.2750	3.0100 +	129.1590 +	14.3121	10.3690	0.0	90 00 00.00	4+10.0000
GRR	5.0411	166.4342	0.2750	3.2850 +	129.1796 +	14.5863	10.3882	0.0	90 00 00.00	4+10.0000
L 5	5.0484	91.3262	0.5900	3.8750 +	129.2238 +	15.1747	10.0000	0.0	90 00 00.00	4+10.0000
L 6	5.0503	91.3602	0.1500	4.0250 +	129.2351 +	15.3242	11.2500	0.0	90 00 00.00	4+10.0000

CROSS NAME *** C-17 *** T=264 59 11.83

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	94.5385	0.0	3.8200 +	133.5831 +	7.0994	11.2500	0.0	90 00 00.00	4+15.0000
L 2	4.9541	94.5742	0.1500	3.6700 +	133.5962 +	7.2488	10.0000	0.0	90 00 00.00	4+15.0000
GLL	3.6461	169.0627	0.8550	3.0150 +	133.6535 +	7.9013	10.2307	0.0	90 00 00.00	4+15.0000
G 1L	4.9658	94.7962	0.2750	2.7400 +	133.6775 +	8.1752	10.2500	0.0	90 00 00.00	4+15.0000
GLR	3.6529	169.3183	0.2750	2.4650 +	133.7015 +	8.4492	10.2692	0.0	90 00 00.00	4+15.0000
<G1>	4.9764	94.9990	0.5750	1.8900 +	133.7518 +	9.0220	10.0000	0.0	90 00 00.00	4+15.0000
GRL	3.6673	169.8528	0.5750	1.3150 +	133.8020 +	9.5948	10.3497	0.0	90 00 00.00	4+15.0000
G 1R	4.9870	95.2018	0.2750	1.0400 +	133.8261 +	9.8687	10.3690	0.0	90 00 00.00	4+15.0000
GRR	3.6742	170.1084	0.2750	0.7650 +	133.8501 +	10.1427	10.3882	0.0	90 00 00.00	4+15.0000
L 3	4.9978	95.4082	0.5900	0.1750 +	133.9016 +	10.7304	10.0000	0.0	90 00 00.00	4+15.0000
C-L	5.0000	95.4500	0.1750	0.0000 +	133.9169 +	10.9048	11.3200	0.0	90 00 00.00	4+15.0000
L 4	5.0022	95.4918	0.1750	0.1750 +	133.9322 +	11.0791	10.0000	0.0	90 00 00.00	4+15.0000
GLL	5.0129	174.0758	0.8800	1.0350 +	134.0074 +	11.9358	10.2307	0.0	90 00 00.00	4+15.0000
G 2L	5.0164	95.7626	0.2750	1.3100 +	134.0314 +	12.2097	10.2500	0.0	90 00 00.00	4+15.0000
GLR	5.0198	174.3381	0.2750	1.5850 +	134.0554 +	12.4837	10.2692	0.0	90 00 00.00	4+15.0000
<G-2>	5.0270	95.9654	0.5750	2.1600 +	134.1057 +	13.0565	10.0000	0.0	90 00 00.00	4+15.0000
GRL	5.0342	174.8870	0.5750	2.7350 +	134.1559 +	13.6293	10.3497	0.0	90 00 00.00	4+15.0000
G 2R	5.0376	96.1683	0.2750	3.0100 +	134.1800 +	13.9032	10.3690	0.0	90 00 00.00	4+15.0000
GRR	5.0411	175.1495	0.2750	3.2850 +	134.2040 +	14.1772	10.3882	0.0	90 00 00.00	4+15.0000
L 5	5.0484	96.3747	0.5900	3.8750 +	134.2558 +	14.7649	10.0000	0.0	90 00 00.00	4+15.0000
L 6	5.0503	96.4105	0.1500	4.0250 +	134.2687 +	14.9144	11.2500	0.0	90 00 00.00	4+15.0000

181

CROSS NAME *** C-18 *** T=264 16 13.52

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	99.4907	0.0	3.8200 +	138.5138 +	8.6358	11.2500	0.0	90 00 00.00	5+00.0000
L 2	4.9541	99.5284	0.1500	3.6700 +	138.5288 +	8.7850	10.0000	0.0	90 00 00.00	5+00.0000
GLL	3.5954	177.6711	0.8550	3.0150 +	138.5940 +	7.4368	10.2307	0.0	90 00 00.00	5+00.0000
G 1L	4.9658	99.7619	0.2750	2.7400 +	138.6214 +	7.7104	10.2500	0.0	90 00 00.00	5+00.0000
GLR	3.6023	177.9404	0.2750	2.4650 +	138.6489 +	7.9840	10.2692	0.0	90 00 00.00	5+00.0000
<G1>	4.9764	99.9754	0.5750	1.8900 +	138.7063 +	8.5561	10.0000	0.0	90 00 00.00	5+00.0000
GRL	3.6167	178.5037	0.5750	1.3150 +	138.7637 +	9.1283	10.3497	0.0	90 00 00.00	5+00.0000
G 1R	4.9870	100.1888	0.2750	1.0400 +	138.7911 +	9.4019	10.3690	0.0	90 00 00.00	5+00.0000
GRR	3.6236	178.7730	0.2750	0.7650 +	138.8186 +	9.6755	10.3882	0.0	90 00 00.00	5+00.0000
L 3	4.9978	100.4061	0.5900	0.1750 +	138.8775 +	10.2626	10.0000	0.0	90 00 00.00	5+00.0000
C-L	5.0000	100.4500	0.1750	0.0000 +	138.8950 +	10.4367	11.3200	0.0	90 00 00.00	5+00.0000
L 4	5.0022	100.4939	0.1750	0.1750 +	138.9124 +	10.6108	10.0000	0.0	90 00 00.00	5+00.0000
GLL	5.0129	182.6840	0.8600	1.0350 +	138.9983 +	11.4665	10.2307	0.0	90 00 00.00	5+00.0000
G 2L	5.0164	100.7790	0.2750	1.3100 +	139.0257 +	11.7402	10.2500	0.0	90 00 00.00	5+00.0000
GLR	5.0198	182.9603	0.2750	1.5850 +	139.0532 +	12.0138	10.2692	0.0	90 00 00.00	5+00.0000
<G-2>	5.0270	100.9924	0.5750	2.1600 +	139.1106 +	12.5859	10.0000	0.0	90 00 00.00	5+00.0000
GRL	5.0342	183.5378	0.5750	2.7350 +	139.1680 +	13.1580	10.3497	0.0	90 00 00.00	5+00.0000
G 2R	5.0376	101.2059	0.2750	3.0100 +	139.1954 +	13.4317	10.3690	0.0	90 00 00.00	5+00.0000
GRR	5.0411	183.8141	0.2750	3.2850 +	139.2229 +	13.7053	10.3882	0.0	90 00 00.00	5+00.0000
L 5	5.0484	101.4231	0.5900	3.8750 +	139.2618 +	14.2823	10.0000	0.0	90 00 00.00	5+00.0000
L 6	5.0503	101.4608	0.1500	4.0250 +	139.2968 +	14.4416	11.2500	0.0	90 00 00.00	5+00.0000

CROSS NAME *** C-19 *** T=263 33 15.21

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	104.4430	0.0	3.8200 +	143.4379 +	6.1106	11.2500	0.0	90 00 00.00	5+05.0000
L 2	4.9541	104.4825	0.1500	3.6700 +	143.4547 +	6.2596	10.0000	0.0	90 00 00.00	5+05.0000
GLL	3.5448	186.2288	0.8550	3.0150 +	143.5282 +	6.9105	10.2307	0.0	90 00 00.00	5+05.0000
G 1L	4.9658	104.7277	0.2750	2.7400 +	143.5591 +	7.1838	10.2500	0.0	90 00 00.00	5+05.0000
GLR	3.5517	186.5119	0.2750	2.4650 +	143.5900 +	7.4570	10.2692	0.0	90 00 00.00	5+05.0000
<G1>	4.9764	104.9517	0.5750	1.8900 +	143.6545 +	8.0284	10.0000	0.0	90 00 00.00	5+05.0000
GRL	3.5681	187.1039	0.5750	1.3150 +	143.7191 +	8.5998	10.3497	0.0	90 00 00.00	5+05.0000
G 1R	4.9870	105.1758	0.2750	1.0400 +	143.7500 +	8.8730	10.3690	0.0	90 00 00.00	5+05.0000
GRR	3.5729	187.3870	0.2750	0.7650 +	143.7808 +	9.1463	10.3882	0.0	90 00 00.00	5+05.0000
L 3	4.9978	105.4039	0.5900	0.1750 +	143.8471 +	9.7326	10.0000	0.0	90 00 00.00	5+05.0000
C-L	5.0000	105.4500	0.1750	0.0000 +	143.8667 +	9.9065	11.3200	0.0	90 00 00.00	5+05.0000
L 4	5.0022	105.4961	0.1750	0.1750 +	143.8864 +	10.0803	10.0000	0.0	90 00 00.00	5+05.0000
GLL	5.0129	191.2418	0.8600	1.0350 +	143.9829 +	10.9349	10.2307	0.0	90 00 00.00	5+05.0000
G 2L	5.0184	105.7953	0.2750	1.3100 +	144.0138 +	11.2082	10.2500	0.0	90 00 00.00	5+05.0000
GLR	5.0198	191.5318	0.2750	1.5850 +	144.0447 +	11.4814	10.2692	0.0	90 00 00.00	5+05.0000
<G-2>	5.0270	106.0194	0.5750	2.1600 +	144.1092 +	12.0528	10.0000	0.0	90 00 00.00	5+05.0000
GRL	5.0342	192.1381	0.5750	2.7350 +	144.1738 +	12.6242	10.3497	0.0	90 00 00.00	5+05.0000
G 2R	5.0376	106.2435	0.2750	3.0100 +	144.2046 +	12.8974	10.3690	0.0	90 00 00.00	5+05.0000
GRR	5.0411	192.4281	0.2750	3.2850 +	144.2355 +	13.1707	10.3882	0.0	90 00 00.00	5+05.0000
L 5	5.0484	106.4715	0.5900	3.8750 +	144.3017 +	13.7570	10.0000	0.0	90 00 00.00	5+05.0000
L 6	5.0503	106.5111	0.1500	4.0250 +	144.3186 +	13.9060	11.2500	0.0	90 00 00.00	5+05.0000

CROSS NAME *** C-20 *** T=262 50 16.90

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	109.3952	0.0	3.8200 +	148.3552 +	5.5239	11.2500	0.0	90 00 00.00	5+10.0000
L 2	4.9541	109.4366	0.1500	3.8700 +	148.3739 +	5.6727	10.0000	0.0	90 00 00.00	5+10.0000
GLL	3.4942	194.7360	0.6550	3.0150 +	148.4556 +	6.3226	10.2307	0.0	90 00 00.00	5+10.0000
G 1L	4.9858	109.6934	0.2750	2.7400 +	148.4899 +	6.5955	10.2500	0.0	90 00 00.00	5+10.0000
GLR	3.5011	195.0328	0.2750	2.4650 +	148.5242 +	6.8683	10.2692	0.0	90 00 00.00	5+10.0000
<G1>	4.9764	109.9281	0.5750	1.8900 +	148.5958 +	7.4388	10.0000	0.0	90 00 00.00	5+10.0000
GRL	3.5154	195.6535	0.5750	1.3150 +	148.6675 +	8.0094	10.3497	0.0	90 00 00.00	5+10.0000
G 1R	4.9870	110.1628	0.2750	1.0400 +	148.7018 +	8.2822	10.3690	0.0	90 00 00.00	5+10.0000
GRR	3.5223	195.9504	0.2750	0.7650 +	148.7361 +	8.5551	10.3882	0.0	90 00 00.00	5+10.0000
L 3	4.9978	110.4017	0.5900	0.1750 +	148.8097 +	9.1405	10.0000	0.0	90 00 00.00	5+10.0000
C-L	5.0000	110.4500	0.1750	0.0000 +	148.8315 +	9.3141	11.3200	0.0	90 00 00.00	5+10.0000
L 4	5.0022	110.4983	0.1750	0.1750 +	148.8533 +	9.4677	10.0000	0.0	90 00 00.00	5+10.0000
GLL	5.0129	199.7489	0.8600	1.0350 +	148.9605 +	10.3410	10.2307	0.0	90 00 00.00	5+10.0000
G 2L	5.0164	110.8117	0.2750	1.3100 +	148.9948 +	10.6139	10.2500	0.0	90 00 00.00	5+10.0000
GLR	5.0198	200.0526	0.2750	1.5850 +	149.0291 +	10.8867	10.2692	0.0	90 00 00.00	5+10.0000
<G-2>	5.0270	111.0464	0.5750	2.1600 +	149.1008 +	11.4572	10.0000	0.0	90 00 00.00	5+10.0000
GRL	5.0342	200.6877	0.5750	2.7350 +	149.1725 +	12.0278	10.3497	0.0	90 00 00.00	5+10.0000
G 2R	5.0376	111.2811	0.2750	3.0100 +	149.2067 +	12.3006	10.3690	0.0	90 00 00.00	5+10.0000
GRR	5.0411	200.9915	0.2750	3.2850 +	149.2410 +	12.5735	10.3882	0.0	90 00 00.00	5+10.0000
L 5	5.0484	111.5200	0.5900	3.8750 +	149.3146 +	13.1589	10.0000	0.0	90 00 00.00	5+10.0000
L 6	5.0503	111.5614	0.1500	4.0250 +	149.3333 +	13.3077	11.2500	0.0	90 00 00.00	5+10.0000

CROSS NAME *** C-21 *** T=262 07 18.59

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	114.3475	0.0	3.8200 +	153.2648 +	4.8758	11.2500	0.0	90 00 00.00	5+15.0000
L 2	4.9541	114.3907	0.1500	3.8700 +	153.2854 +	5.0244	10.0000	0.0	90 00 00.00	5+15.0000
GLL	3.4436	203.1925	0.8550	3.0150 +	153.3752 +	5.6732	10.2307	0.0	90 00 00.00	5+15.0000
G 1L	4.9858	114.6592	0.2750	2.7400 +	153.4129 +	5.9458	10.2500	0.0	90 00 00.00	5+15.0000
GLR	3.4504	203.5031	0.2750	2.4650 +	153.4506 +	6.2180	10.2692	0.0	90 00 00.00	5+15.0000
<G1>	4.9764	114.9045	0.5750	1.8900 +	153.5294 +	6.7876	10.0000	0.0	90 00 00.00	5+15.0000
GRL	3.4648	204.1525	0.5750	1.3150 +	153.6082 +	7.3571	10.3497	0.0	90 00 00.00	5+15.0000
G 1R	4.9870	115.1498	0.2750	1.0400 +	153.6459 +	7.6296	10.3690	0.0	90 00 00.00	5+15.0000
GRR	3.4717	204.4631	0.2750	0.7650 +	153.6836 +	7.9020	10.3882	0.0	90 00 00.00	5+15.0000
L 3	4.9978	115.3995	0.5900	0.1750 +	153.7645 +	8.4864	10.0000	0.0	90 00 00.00	5+15.0000
C-L	5.0000	115.4500	0.1750	0.0000 +	153.7884 +	8.6597	11.3200	0.0	90 00 00.00	5+15.0000
L 4	5.0022	115.5005	0.1750	0.1750 +	153.8124 +	8.8331	10.0000	0.0	90 00 00.00	5+15.0000
GLL	5.0129	208.2054	0.8600	1.0350 +	153.9303 +	9.6850	10.2307	0.0	90 00 00.00	5+15.0000
G 2L	5.0164	115.8281	0.2750	1.3100 +	153.9680 +	9.9574	10.2500	0.0	90 00 00.00	5+15.0000
GLR	5.0198	208.5229	0.2750	1.5850 +	154.0057 +	10.2298	10.2692	0.0	90 00 00.00	5+15.0000
<G-2>	5.0270	116.0734	0.5750	2.1600 +	154.0845 +	10.7993	10.0000	0.0	90 00 00.00	5+15.0000
GRL	5.0342	209.1867	0.5750	2.7350 +	154.1633 +	11.3689	10.3497	0.0	90 00 00.00	5+15.0000
G 2R	5.0376	116.3188	0.2750	3.0100 +	154.2010 +	11.6413	10.3690	0.0	90 00 00.00	5+15.0000
GRR	5.0411	209.5042	0.2750	3.2850 +	154.2387 +	11.9137	10.3882	0.0	90 00 00.00	5+15.0000
L 5	5.0484	116.5684	0.5900	3.8750 +	154.3196 +	12.4982	10.0000	0.0	90 00 00.00	5+15.0000
L 6	5.0503	116.6117	0.1500	4.0250 +	154.3401 +	12.6467	11.2500	0.0	90 00 00.00	5+15.0000

CROSS NAME *** S-4 *** T=261 24 20.28

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	4.9523	119.2997	0.0	3.8200 +	158.1660 +	4.1664	11.2500	0.0	90 00 00.00	6+00.0000
L 2	4.9541	119.3449	0.1500	3.6700 +	158.1884 +	4.3147	10.0000	0.0	90 00 00.00	6+00.0000
GLL	3.3929	211.5983	0.6550	3.0150 +	158.2863 +	4.9623	10.2307	0.0	90 00 00.00	6+00.0000
G 1L	4.9658	119.6249	0.2750	2.7400 +	158.3274 +	5.2342	10.2500	0.0	90 00 00.00	6+00.0000
GLR	3.3998	211.9227	0.2750	2.4650 +	158.3685 +	5.5061	10.2692	0.0	90 00 00.00	6+00.0000
<G1>	4.9764	119.8809	0.5750	1.8900 +	158.4544 +	6.0747	10.0000	0.0	90 00 00.00	6+00.0000
GRL	3.4142	212.6009	0.5750	1.3150 +	158.5403 +	6.6432	10.3497	0.0	90 00 00.00	6+00.0000
G 1R	4.9870	120.1368	0.2750	1.0400 +	158.5814 +	6.9151	10.3690	0.0	90 00 00.00	6+00.0000
GRR	3.4211	212.9253	0.2750	0.7650 +	158.6225 +	7.1871	10.3882	0.0	90 00 00.00	6+00.0000
L 3	4.9978	120.3973	0.5900	0.1750 +	158.7107 +	7.7704	10.0000	0.0	90 00 00.00	6+00.0000
C-L	5.0000	120.4500	0.1750	0.0000 +	158.7368 +	7.9435	11.3200	0.0	90 00 00.00	6+00.0000
L 4	5.0022	120.5027	0.1750	0.1750 +	158.7630 +	8.1165	10.0000	0.0	90 00 00.00	6+00.0000
GLL	5.0129	216.6113	0.8600	1.0350 +	158.8915 +	8.9668	10.2307	0.0	90 00 00.00	6+00.0000
G 2L	5.0164	120.8445	0.2750	1.3100 +	158.9326 +	9.2388	10.2500	0.0	90 00 00.00	6+00.0000
GLR	5.0198	216.9425	0.2750	1.5850 +	158.9737 +	9.5107	10.2692	0.0	90 00 00.00	6+00.0000
<G-2>	5.0270	121.1004	0.5750	2.1600 +	159.0596 +	10.0792	10.0000	0.0	90 00 00.00	6+00.0000
GRL	5.0342	217.6351	0.5750	2.7350 +	159.1455 +	10.6478	10.3497	0.0	90 00 00.00	6+00.0000
G 2R	5.0376	121.3564	0.2750	3.0100 +	159.1866 +	10.9197	10.3690	0.0	90 00 00.00	6+00.0000
GRR	5.0411	217.9663	0.2750	3.2850 +	159.2277 +	11.1916	10.3882	0.0	90 00 00.00	6+00.0000
L 5	5.0484	121.6169	0.5900	3.8750 +	159.3159 +	11.7750	10.0000	0.0	90 00 00.00	6+00.0000
L 6	5.0503	121.6620	0.1500	4.0250 +	159.3383 +	11.9233	11.2500	0.0	90 00 00.00	6+00.0000

CROSS NAME *** GE-2 *** T=261 20 28.23

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	0.3957	119.6954	0.0	3.8200	158.5572	4.1070	11.2500	0.0	90 00 28.03	6+00.3995
L 2	0.3959	119.7407	0.1500	3.6700	158.5798	4.2553	10.0000	0.0	90 00 28.02	6+00.3995
GLL	-1.2234	215.3879	0.8550	3.0150	158.6784	4.9029	10.2307	0.0	90 00 25.98	6+00.3996
G 1L	0.3969	120.0218	0.2750	2.7400	158.7198	5.1747	10.2500	0.0	90 00 25.98	6+00.3997
GLR	-1.2228	215.7197	0.2750	2.4650	158.7612	5.4486	10.2892	0.0	90 00 25.94	6+00.3997
<G1>	0.3979	120.2787	0.5750	1.8900	158.8478	6.0150	10.0000	0.0	90 00 25.91	6+00.3998
GRL	-1.2215	216.4138	0.5750	1.3150	158.9343	6.5835	10.3497	0.0	90 00 25.87	6+00.3998
G 1R	0.3988	120.5357	0.2750	1.0400	158.9757	6.8553	10.3690	0.0	90 00 25.85	6+00.3999
GRR	-1.2209	216.7455	0.2750	0.7650	159.0171	7.1272	10.3882	0.0	90 00 25.83	6+00.3999
L 3	0.3998	120.7971	0.5900	0.1750	159.1060	7.7105	10.0000	0.0	90 00 25.79	6+00.4000
C-L	0.4000	120.8500	0.1750	0.0000	159.1323	7.8835	11.3200	0.0	90 00 25.78	6+00.4000
L 4	0.4002	120.9029	0.1750	0.1750	159.1587	8.0565	10.0000	0.0	90 00 25.77	6+00.4000
GLL	0.4012	215.7890	0.8600	1.0350	159.2881	8.9067	10.2307	0.0	90 00 25.72	6+00.4001
G 2L	0.4015	121.2459	0.2750	1.3100	159.3295	9.1786	10.2500	0.0	90 00 25.70	6+00.4002
GLR	0.4018	216.1215	0.2750	1.5850	159.3709	9.4504	10.2892	0.0	90 00 25.68	6+00.4002
<G-2>	0.4024	121.5029	0.5750	2.1600	159.4575	10.0189	10.0000	0.0	90 00 25.64	6+00.4003
GRL	0.4031	216.8167	0.5750	2.7350	159.5441	10.5873	10.3497	0.0	90 00 25.61	6+00.4003
G 2R	0.4034	121.7598	0.2750	3.0100	159.5855	10.8592	10.3690	0.0	90 00 25.59	6+00.4004
GRR	0.4037	217.1492	0.2750	3.2850	159.6269	11.1310	10.3882	0.0	90 00 25.57	6+00.4004
L 5	0.4044	122.0212	0.5900	3.8750	159.7157	11.7143	10.0000	0.0	90 00 25.54	6+00.4005
L 6	0.4045	122.0666	0.1500	4.0250	159.7383	11.8626	11.2500	0.0	90 00 25.53	6+00.4005

CROSS NAME *** P-B *** T=261 20 28.23

NAME	DISTANCE	ACC.DIST.	WIDTH-1	WIDTH-2	X	Y	HEIGHT	CANT	I.A.	STATION
L 1	0.0500	119.7454	0.0	3.8200 +	158.8066 +	4.0995	11.2500	0.0	90 00 00.00	6+00.4500
L 2	0.0500	119.7907	0.1500	3.6700 +	158.8292 +	4.2478	10.0000	0.0	90 00 00.00	6+00.4500
GLL	-1.5748	214.2145	0.8550	3.0150 +	158.7278 +	4.8953	10.2307	0.0	90 00 00.00	6+00.4500
G 1L	0.0500	120.0718	0.2750	2.7400 +	158.7692 +	5.1672	10.2500	0.0	90 00 00.00	6+00.4500
GLR	-1.5748	214.5470	0.2750	2.4650 +	158.8106 +	5.4391	10.2692	0.0	90 00 00.00	6+00.4500
<G1>	0.0500	120.3287	0.5750	1.8900 +	158.8972 +	6.0075	10.0000	0.0	90 00 00.00	6+00.4500
GRL	-1.5748	215.2421	0.5750	1.3150 +	158.9838 +	6.5760	10.3497	0.0	90 00 00.00	6+00.4500
G 1R	0.0500	120.5857	0.2750	1.0400 +	159.0252 +	6.8478	10.3690	0.0	90 00 00.00	6+00.4500
GRR	-1.5748	215.5748	0.2750	0.7850 +	159.0666 +	7.1197	10.3882	0.0	90 00 00.00	6+00.4500
L 3	0.0500	120.8471	0.5900	0.1750 +	159.1554 +	7.7030	10.0000	0.0	90 00 00.00	6+00.4500
C-L	0.0500	120.9000	0.1750	0.0000 +	159.1817 +	7.8760	11.3200	0.0	90 00 00.00	6+00.4500
L 4	0.0500	120.9529	0.1750	0.1750 +	159.2081 +	8.0490	10.0000	0.0	90 00 00.00	6+00.4500
GLL	0.0500	214.2645	0.8600	1.0350 +	159.3376 +	8.8992	10.2307	0.0	90 00 00.00	6+00.4500
G 2L	0.0500	121.2959	0.2750	1.3100 +	159.3790 +	9.1710	10.2500	0.0	90 00 00.00	6+00.4500
GLR	0.0500	214.5970	0.2750	1.5850 +	159.4204 +	9.4429	10.2692	0.0	90 00 00.00	6+00.4500
<G-2>	0.0500	121.5529	0.5750	2.1600 +	159.5089 +	10.0113	10.0000	0.0	90 00 00.00	6+00.4500
GRL	0.0500	215.2921	0.5750	2.7350 +	159.5935 +	10.5798	10.3497	0.0	90 00 00.00	6+00.4500
G 2R	0.0500	121.8098	0.2750	3.0100 +	159.6349 +	10.8517	10.3690	0.0	90 00 00.00	6+00.4500
GRR	0.0500	215.6246	0.2750	3.2850 +	159.6763 +	11.1235	10.3882	0.0	90 00 00.00	6+00.4500
L 5	0.0500	122.0712	0.5900	3.8750 +	159.7651 +	11.7068	10.0000	0.0	90 00 00.00	6+00.4500
L 6	0.0500	122.1166	0.1500	4.0250 +	159.7877 +	11.8551	11.2500	0.0	90 00 00.00	6+00.4500